



Printing date 05.06.2023 Version number 3.0 Revision: 05.06.2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- Trade name: Bobini Gel caps for washing white and colored fabrics family
- · UFI: VYUK-DQCG-UQ31-P8Q9
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against ·
- · Application of the substance / the mixture: Detergents
- · Uses advised against: No further relevant information available.
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Global Cosmed Group S.A.

ul. Kuziennicza 15, 59-400 JAWOR

Telefon +48 76 870 30 31; Fax +48 76 870 32 63

Nr statystyczny REGON - 390339667

www.globalcosmed.eu

sekretariat.jawor@globalcosmed.eu

• 1.4 Emergency telephone number: +48 76 870 30 31 (Mo. to Fr. 8:00 - 16:00) or 112

## SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

*P280* Wear protective gloves / eye protection / face protection.

(Contd. on page 2)





*Printing date 05.06.2023 Version number 3.0 Revision: 05.06.2023* 

Trade name: Bobini Gel caps for washing white and colored fabrics - family

(Contd. of page 1)

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P501 Dispose of completely emptied container to the segregated municipal waste.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

## SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- **Description:** Mixture: consisting of the following components.

CAS: 68891-38-3	SODIUM LAURETH SULFATE (Alcohols C12-14 ethoxylated,	≥15-<25%
NLP: 500-234-8	sulfates, sodium salt)	
Reg.nr.: 01-2119488639-16	Eye Dam. 1, H318; <b>(1)</b> Skin Irrit. 2, H315; Aquatic Chronic 3, H412	
	Specific concentration limits: Eye Dam. 1; H318: C ≥ 10 %	
	<i>Eye Irrit. 2; H319: 5 % ≤ C &lt; 10</i> %	
CAS: 160901-19-9	C12-13 PARETH-7 (Alcohols C12-13 branched and linear,	≥10-<15%
EC number: 931-954-4	ethoxylated)	
Reg.nr.: 01-2119490233-42	Eye Dam. 1, H318; <b>(1)</b> Acute Tox. 4, H302; Aquatic Chronic 3, H412	
	Specific concentration limits: Eye Dam. 1; H318: C ≥ 10 %	
	<i>Eye Irrit. 2; H319: 1 % ≤ C &lt; 10</i> %	
CAS: 66071-80-5	MEA-COCOATE (Fatty acids, coco, compds. with	≥5-<10%
EINECS: 266-105-0	ethanolamine)	
	🕩 Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 3811-73-2	SODIUM PYRITHIONE (Pyridine-2-thiol 1-oxide, sodium salt)	≥0.0025-<0.025%
EINECS: 223-296-5	Eye Dam. 1, H318; 🔖 Aquatic Acute 1, H400 (M=100);	
Reg.nr.: 01-2119493385-28	Aquatic Chronic 2, H411; 🏠 Acute Tox. 4, H302; Acute Tox. 4,	
	H332	

Regulation (EC) No 648/2004 on detergents / Labelling for contents	
anionic surfactants	≥15 - <30%
non-ionic surfactants, soap	≥5 - <15%
phosphonates	<5%
	(Contd. on page 3)





Printing date 05.06.2023 Version number 3.0 Revision: 05.06.2023

Trade name: Bobini Gel caps for washing white and colored fabrics - family

(Contd. of page 2)

perfumes, preservation agents (SODIUM PYRITHIONE, PHENOXYETHANOL, BENZISOTHIAZOLINONE), enzymes

· Additional information: For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Rinse with warm water.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- $\cdot$  4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

## **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- · Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

Water spray

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Avoid skin and eye contact.

Slipping hazard due to leaking product.

· 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)





Trade name: Bobini Gel caps for washing white and colored fabrics - family

(Contd. of page 3)

See Section 13 for disposal information.

## SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

No special measures required.

Keep away from frost and heat.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Store and transport uprightly.

- · Storage class: 10
- · 7.3 Specific end use(s)

The product is a detergent for household cleaning. Observe the warnings and instructions on the packaging.

## SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Oral	DNEL - long-term, oral, systemic effect	ols C12-14 ethoxylated, sulfates, sodium salt)  15 mg/kg (consumer)
Dermal	DNEL - long-term, dermal, systemic effect	,
		1,650 mg/kg (consumer)
	DNEL - long-term, dermal, local effect	132 μg/cm² (worker)
		79 μg/cm² (consumer)
Inhalative	DNEL - long-term, inhaled, systemic effect	175 mg/m³ (worker)
160901-19	9-9 C12-13 PARETH-7 (Alcohols C12-13 b	ranched and linear, ethoxylated)
Oral	DNEL - long-term, oral, systemic effect	25 mg/kg (consumer)
Dermal	DNEL - long-term, dermal, systemic effect	2,080 mg/kg (worker)
		1,250 mg/kg (consumer)
Inhalative	DNEL - long-term, inhaled, systemic effect	294 mg/m³ (worker)
		87 mg/m³ (consumer)

(Contd. on page 5)





Printing date 05.06.2023 Version number 3.0 Revision: 05.06.2023

Trade name: Bobini Gel caps for washing white and colored fabrics - family

	(Contd. of page 4
· PNECs	
68891-38-3 SODIUM LAURET	TH SULFATE (Alcohols C12-14 ethoxylated, sulfates, sodium salt)
PNEC water (fresh water)	240 μg/l
PNEC water (marine water)	$24 \mu g/l$
PNEC water (intermittent)	71 μg/l
PNEC sediment (fresh water)	0.9168 mg/kg
PNEC sediment (marine water)	0.09168 mg/kg
PNEC (soil)	7.5 mg/kg
160901-19-9 C12-13 PARETH	-7 (Alcohols C12-13 branched and linear, ethoxylated)
PNEC water (fresh water)	$80 \mu\mathrm{g/l}$
PNEC water (marine water)	$8 \mu g/l$
PNEC water (intermittent)	$0.28 \mu\mathrm{g/l}$
PNEC sediment (fresh water)	63.83 mg/kg
PNEC sediment (marine water)	6.38 mg/kg
PNEC (soil)	1 mg/kg
PNEC (sewage plant)	10,000  mg/l

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further relevant information available.
- · Individual protection measures, such as personal protective equipment
- · Respiratory protection: Not required.
- · Hand protection



Protective gloves

Due to missing tests, it is not possible to give exact information about the glove material for the product. Recommended is therefore:

Only use chemical-protective gloves with CE-labelling of category III.

#### · Material of gloves

Recommended for contact with the product are protective gloves of chemical protection category III made of special nitrile (material thickness > 0.1 mm). Protective gloves should be tested for workplace specific suitability (e.g. mechanical and thermal resistance, antistatic, etc.). For first signs of wear, the protective gloves must be replaced immediately.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### · Penetration time of glove material

Penetration time > 480 minutes recommended. Named penetration times can be significantly shorter in practice.

(Contd. on page 6)





Revision: 05.06.2023 Printing date 05.06.2023 Version number 3.0

Trade name: Bobini Gel caps for washing white and colored fabrics - family

(Contd. of page 5)

· Eye/face protection



Tightly sealed goggles

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Environmental exposure controls Do not allow product to reach ground water, water course or sewage system.

### SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid

· Colour: Different according to colouring

· Odour: Pleasant Not determined. · Odour threshold: · Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and boiling range Undetermined. · Flammability *Not applicable.* 

· Lower and upper explosion limit

2.6 Vol % (56-81-5 GLYCERIN (Glycerol)) · Lower: · Upper: 11.3 Vol % (56-81-5 GLYCERIN (Glycerol))

· Flash point: >100 °C (57-55-6 propane-1,2-diol)

Not determined. · Decomposition temperature:

8-9 · pH at 20 °C

· Viscosity:

Not determined. · Kinematic viscosity <1,000 mPas · Dynamic at 20 °C:

·Solubility

Fully miscible. · water: · Partition coefficient n-octanol/water (log value) Not determined.

< 0.1 hPa (56-81-5 GLYCERIN (Glycerol)) · Vapour pressure at 20 °C:

· Vapour pressure at 50 °C: ~0 hPa

· Density and/or relative density

 $0.9 - 1.1 \text{ g/cm}^3$ · Density at 20 °C: Not determined. · Relative density Not determined. · Vapour density

(Contd. on page 7)





Printing date 05.06.2023 Version number 3.0 Revision: 05.06.2023

Trade name: Bobini Gel caps for washing white and colored fabrics - family

(Contd. of page 6)

. 9.2	Other	inforn	ation

· Appearance:

· Form: Fluid

· Important information on protection of health and

environment, and on safety.

• Ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Solvent content:

· Organic solvents: <52.5 % · Water: 9.0 %

· Change in condition

· Organic peroxides

Corrosive to metals

· Desensitised explosives

• Evaporation rate Not determined.

· Information with regard to physical hazard classes

Void · Explosives · Flammable gases Void Void · Aerosols Void · Oxidising gases · Gases under pressure Void · Flammable liquids Void Void · Flammable solids Void · Self-reactive substances and mixtures · Pyrophoric liquids Void · Pyrophoric solids Void · Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable gases in contact with water Void · Oxidising liquids Void · Oxidising solids Void

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability Product is stable.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Void

Void

Void

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid Keep away from frost and heat.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

EU





Printing date 05.06.2023 Version number 3.0 Revision: 05.06.2023

Trade name: Bobini Gel caps for washing white and colored fabrics - family

(Contd. of page 7)

### SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 va	lues relevant	for class	sification:
--------------	---------------	-----------	-------------

ATE (Acute Toxicity Estimates)

Oral | LD50 | >2,013-13,423 mg/kg (rat)

#### 68891-38-3 SODIUM LAURETH SULFATE (Alcohols C12-14 ethoxylated, sulfates, sodium salt)

Oral LD50 >5,000 mg/kg (rat) (OECD TG 401)
Dermal LD50 >2,000 mg/kg (rat) (OECD TG 402)

#### 160901-19-9 C12-13 PARETH-7 (Alcohols C12-13 branched and linear, ethoxylated)

Oral LD50 >300-2,000 mg/kg (rat)
Dermal LD50 >2,000 mg/kg (rabbit)

### 60-12-8 PHENETHYL ALCOHOL (2-phenylethanol)

Oral | LD50 | 1,790 mg/kg (rat) (OECD TG 401)

Dermal LD50 2,535 mg/kg (rabbit) (OECD TG 402)

### 3811-73-2 SODIUM PYRITHIONE (Pyridine-2-thiol 1-oxide, sodium salt)

 Oral
 LD50
 1,208 mg/kg (rat)

 Dermal
 LD50
 1,800 mg/kg (rabbit)

- · Skin corrosion/irritation Causes skin irritation.
- · Serious eve damage/irritation Causes serious eve irritation.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity

Based on available data, the classification criteria are not met.

### 68891-38-3 SODIUM LAURETH SULFATE (Alcohols C12-14 ethoxylated, sulfates, sodium salt)

NOAEL >300 mg/kg bw/d (rat) (OECD TG 416)

- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure

Based on available data, the classification criteria are not met.

### 68891-38-3 SODIUM LAURETH SULFATE (Alcohols C12-14 ethoxylated, sulfates, sodium salt)

NOAEL >225 mg/kg/d (rat) (OECD TG 408)

- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

EU





Printing date 05.06.2023 Version number 3.0 Revision: 05.06.2023

Trade name: Bobini Gel caps for washing white and colored fabrics - family

(Contd. of page 8)

### SECTION 12: Ecological information

#### · 12.1 Toxicity

· Aquatic toxicity:	
68891-38-3 SODIUM LAURET	H SULFATE (Alcohols C12-14 ethoxylated, sulfates, sodium salt)
Toxicity (fish): LC50	>10-100 mg/l, 96 h (Leuciscus idus)
Toxicity chronic (fish): NOEC	>1-10 mg/l, 28 d (Leuciscus idus)
Toxicity (Daphnia): EC50	>10-100 mg/l, 48 h (Daphnia magna)
Toxicity (Algea): EC50	>10-100 mg/l, 72 h (Scenedesmus subspicatus)
160901-19-9 C12-13 PARETH-	7 (Alcohols C12-13 branched and linear, ethoxylated)
Toxicity (fish): LC50	>1-10 mg/l, 96 h (Cyprinus carpio) (OECD TG 203)
Toxicity (Daphnia): EC50	>1-10 mg/l, 48 h (Daphnia magna) (OECD TG 202)
Toxicity (Algea): EC50	>1-10 mg/l, 72 h (Desmodesmus subspicatus) (OECD TG 201)
3811-73-2 SODIUM PYRITHIO	ONE (Pyridine-2-thiol 1-oxide, sodium salt)
Toxicity (fish): LC50	0.0066 mg/l, 96 h (Oncorhynchus mykiss)
Toxicity (Daphnia): EC50	0.022 mg/l, 48 h (Daphnia magna)
Toxicity (Algea): EC50	0.46 mg/l, 72 h (Selenastrum capricornutum)
Toxicity chronic (Algea): NOEC	0.08 mg/l, 72 h (Selenastrum capricornutum) (OECD TG 201)

#### · 12.2 Persistence and degradability

No information for the product available. The contained surfactants are readily biodegradable.

### 68891-38-3 SODIUM LAURETH SULFATE (Alcohols C12-14 ethoxylated, sulfates, sodium salt)

Readily biodegradable >90 % (28 d)

### 160901-19-9 C12-13 PARETH-7 (Alcohols C12-13 branched and linear, ethoxylated)

Readily biodegradable >60 % (28 d) (OECD TG 301 B)

### 3811-73-2 SODIUM PYRITHIONE (Pyridine-2-thiol 1-oxide, sodium salt)

Readily biodegradable >70 % (OECD TG 301 B)

### · 12.3 Bioaccumulative potential

### 68891-38-3 SODIUM LAURETH SULFATE (Alcohols C12-14 ethoxylated, sulfates, sodium salt)

Log Pow 0.3 (Potential: low)

- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

(Contd. on page 10)





Printing date 05.06.2023 Version number 3.0 Revision: 05.06.2023

Trade name: Bobini Gel caps for washing white and colored fabrics - family

(Contd. of page 9)

Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

## SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

*Empty the container thoroughly.* 

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

· Waste disposal key:

20 01 29

15 01 10

- · Uncleaned packaging:
- · Recommendation:

Non contaminated packagings may be recycled.

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN number or ID number ADR, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according instruments	g to IMO Not applicable.	
· UN "Model Regulation":	Void	

EU





Printing date 05.06.2023 Version number 3.0 Revision: 05.06.2023

Trade name: Bobini Gel caps for washing white and colored fabrics - family

(Contd. of page 10)

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

- · REGULATION (EC) No 1005/2009 on substances that deplete the ozone layer ANNEX I (Ozone- depleting potential)
- · Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information given in the Material Safety Data Sheet only apply to the describted product in connection with its appropriate utilization. These particulars are based on our present knowledge. In particular, the information derve the purpose of describing our product under the aspect of hazards caused by such product and pertaining safety actions. The information does not constitute any guarantee of product quality and/or quality features.

### · Relevant phrases

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

· Training hints

When manufacturing and distributing the product: information and instruction in handling, safety and hygiene. When transporting the product: information and instruction in ADR.

· Classification according to Regulation (EC) No 1272/2008

The skin and/or eye classification of this product was derived using bridging principles (such as dilution, interpolation within one hazard category or substantially similar mixtures; with or without expert judgement) following Article 9 (3) and Article 9 (4) of Regulation (EC) No 1272/2008.

DetNet/1735

(Contd. on page 12)





Printing date 05.06.2023 Version number 3.0 Revision: 05.06.2023

Trade name: Bobini Gel caps for washing white and colored fabrics - family

(Contd. of page 11)

Calculation method

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

### Department issuing SDS:

Regulatory Affairs

МН

#### · Contact:

reg@global cosmed.eu

info@globalcosmed.de

sekretariat.jawor@globalcosmed.eu
• Date of previous version: 08.12.2021

# Abbreviations and acronyms:

ADN: Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

MARPOL: International Convention for the Prevention of Marine Pollution from Ships (marine pollution)

IBC: Intermediate Bulk Container

IMO: International Maritime Organisation

ECHA: European Chemicals Agency

IVIS: In Vitro Irritancy Score

CLP regulation: "Classification, Labelling and Packaging" regulation, regulation (EC) Nr. 1272/2008

REACH (regulation): "Registration, Evaluation, Authorisation and Restriction of Chemicals" regulation, regulation (EC) Nr. 1907/2006

CE: Conformité Européenne (European Conformity)

Reg. no.: Registration number

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

EC50: Effective concentration, 50 percent

WEL: Workplace Exposure Limits

NOAEL (NOAEC): No observed adverse effect level (concentration)

NOEL (NOEC): No observed effect level (concentration)

NLP: No-Longer-Polymer

OECD: Organisation for Economic Co-operation and Development

TG: Test Guideline

BCOP: Bovine Corneal Opacity and Permeability

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 \* Data compared to the previous version altered.