Revision: 15.07.2024

# Safety data sheet ACCORDING TO COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006

Printing date 15.07.2024

Version number 7.0 (replaces version 6.0)

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Bobini Baby Washing liquid for children's and babies' clothes Hypoallergenic
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against ·
- · Application of the substance / the mixture: Detergents
- · Uses advised against: No further relevant information available.
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Dr. Miele Cosmed Group S.A.

ul. Wielkopolska 3,

26-600 Radom, Poland;

tel. +48 48 384 58 01

www.dr-miele.eu

www.bobini.pl

bobini@dr-miele.eu

• 1.4 Emergency telephone number: +48 48 384 58 01 (Mo. to Fr. 8:00 - 17:00) or 112

## SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Determination of endocrine-disrupting properties Not applicable.

#### SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture: consisting of the following components.

POTASSIUM COCOATE (Fatty acids, coco, potassium salts)	≥1-<5%
♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319	
SODIUM LAURETH SULFATE (Alcohols C12-14 ethoxylated,	≥2.5-<5%
sulfates, sodium salt)	
Eye Dam. 1, H318; 🔷 Skin Irrit. 2, H315; Aquatic Chronic 3, H412	
Specific concentration limits: Eye Dam. 1; H318: C ≥ 10 %	
Eye Irrit. 2; H319: 5 % ≤ C < 10 %	
	◆ Skin Irrit. 2, H315; Eye Irrit. 2, H319  SODIUM LAURETH SULFATE (Alcohols C12-14 ethoxylated, sulfates, sodium salt)  Eye Dam. 1, H318; ◆ Skin Irrit. 2, H315; Aquatic Chronic 3, H412  Specific concentration limits: Eye Dam. 1; H318: C≥10%

(Contd. on page 2)

Printing date 15.07.2024 Version number 7.0 (replaces version 6.0) Revision: 15.07.2024

Trade name: Bobini Baby Washing liquid for children's and babies' clothes Hypoallergenic

EINECS: 270-407-8 Reg.nr.: 01-2119513401-57  Alkane hydroxy and C14-16-alkene, sodium salts)  Eye Dam. 1, H318;		(Contd.	of page
EC number: 931-513-6 Reg.nr.: 01-2119513359-38  (carboxymethyl)-N,N-dimethyl-, N-(C12-18) acyl derivs.)  Eye Dam. 1, H318; ♠ Skin Irrit. 2, H315; Aquatic Chronic 3, H412 Specific concentration limits: Eye Dam. 1; H318: $C \ge 10 \%$ Eye Irrit. 2; H319: $4 \% \le C < 10 \%$ EC number: 931-954-4 Reg.nr.: 01-2119490233-42  Eye Dam. 1, H318; ♠ Acute Tox. 4, H302; Aquatic Chronic 3, H412	INECS: 270-407-8 eg.nr.: 01-2119513401-57	e hydroxy and C14-16-alkene, sodium salts)  e Dam. 1, H318; $\diamondsuit$ Skin Irrit. 2, H315  c concentration limits: Skin Irrit. 2; H315: $C \ge 5$ %  Eye Dam. 1; H318: $C \ge 38$ %	I-<5%
EC number: 931-954-4 ethoxylated)  Reg.nr.: 01-2119490233-42  Eye Dam. 1, H318;  Acute Tox. 4, H302; Aquatic Chronic 3, H412	C number: 931-513-6 leg.nr.: 01-2119513359-38	oxymethyl)-N,N-dimethyl-, N-(C12-18) acyl derivs.)  e Dam. 1, H318; $\diamondsuit$ Skin Irrit. 2, H315; Aquatic Chronic 3, $\lozenge$ concentration limits: Eye Dam. 1; H318: $C \ge 10 \%$	-<2.5%
Eye Irrit. 2; H319: $1\% \le C < 10\%$	C number: 931-954-4 leg.nr.: 01-2119490233-42	wlated) wlated) we Dam. 1, H318; ♦ Acute Tox. 4, H302; Aquatic Chronic 3, with a concentration limits: Eye Dam. 1; H318: $C \ge 10\%$	-<2.5%
· Regulation (EC) No 648/2004 on detergents / Labelling for contents	egulation (EC) No 648/200	letergents / Labelling for contents	
soap, anionic surfactants, amphoteric surfactants, non-ionic surfactants  erfumes, preservation agents (SODIUM PYRITHIONE, BENZISOTHIAZOLINONE)	1		<5%

### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Rinse with warm water.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · **4.3 Indication of any immediate medical attention and special treatment needed**No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions. Water spray

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

# SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures
  Avoid skin and eye contact.
  Slipping hazard due to leaking product.
- **6.2 Environmental precautions:** Dilute with plenty of water.

(Contd. on page 3)

Printing date 15.07.2024 Version number 7.0 (replaces version 6.0) Revision: 15.07.2024

Trade name: Bobini Baby Washing liquid for children's and babies' clothes Hypoallergenic

(Contd. of page 2)

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

#### · 7.1 Precautions for safe handling

No special measures required.

Keep away from frost and heat.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Store and transport uprightly.
- · Storage class: 12
- · 7.3 Specific end use(s)

The product is a detergent for household cleaning. Observe the warnings and instructions on the packaging.

## SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELs		
68891-38-	3 SODIUM LAURETH SULFATE (Alcoho	ols C12-14 ethoxylated, sulfates, sodium salt)
Oral	DNEL - long-term, oral, systemic effect	15 mg/kg (consumer)
Dermal	DNEL - long-term, dermal, systemic effect	2,750 mg/kg (worker)
		1,650 mg/kg (consumer)
	DNEL - long-term, dermal, local effect	132 μg/cm² (worker)
		79 μg/cm² (consumer)
Inhalative	DNEL - long-term, inhaled, systemic effect	175 mg/m³ (worker)
68439-57-	6 SODIUM C14-16 OLEFIN SULFONAT	TE (Sulfonic acids C14-16-alkane hydroxy and C14
	16-alkene, sodium salts)	
Oral	DNEL - long-term, oral, systemic effect	12.95 mg/kg (consumer)
Dermal	DNEL - long-term, dermal, systemic effect	2,158.33 mg/kg (worker)
		1,295 mg/kg (consumer)
Inhalative	DNEL - long-term, inhaled, systemic effect	152.22 mg/m³ (worker)
		45.04 mg/m³ (consumer)
1334422-0	9-1 COCAMIDOPROPYL BETAINE (1-	Propanaminium, 3-amino-N-(carboxymethyl)-N,N
	dimethyl-, N-(C12-18) acyl derivs.)	
Oral	DNEL - long-term, oral, systemic effect	7.5 mg/kg (consumer)
Dermal	DNEL - long-term, dermal, systemic effect	12.5 mg/kg (worker)
		7.5 mg/kg (consumer)
T 1 1	DNEL - long-term, inhaled, systemic effect	44 mg/m³ (worker)

(Contd. on page 4)

Printing date 15.07.2024 Version number 7.0 (replaces version 6.0) Revision: 15.07.2024

Trade name: Bobini Baby Washing liquid for children's and babies' clothes Hypoallergenic

160901-19	9-9 C12-13 PARETH	-7 (Alcohols C12-13 bi	(Contd. of pa
Oral	DNEL - long-term, o	oral, systemic effect	25 mg/kg (consumer)
Dermal	DNEL - long-term, dermal, systemic effect		2,080 mg/kg (worker)
			1,250 mg/kg (consumer)
Inhalative	DNEL - long-term, i	nhaled, systemic effect	294 mg/m³ (worker)
			87 mg/m³ (consumer)
PNECs			
68891-38-	3 SODIUM LAURE	TH SULFATE (Alcoho	ols C12-14 ethoxylated, sulfates, sodium salt)
PNEC wat	ter (fresh water)	240 μg/l	
PNEC wat	ter (marine water)	24 μg/l	
PNEC wat	ter (intermittent)	71 μg/l	
PNEC sed	iment (fresh water)	0.9168 mg/kg	
PNEC sed	iment (marine water)	0.09168 mg/kg	
PNEC (so	il)	7.5 mg/kg	
68439-57-	6 SODIUM C14-16	OLEFIN SULFONAT	E (Sulfonic acids C14-16-alkane hydroxy and C
	16-alkene, sodium	salts)	
PNEC wat	ter (fresh water)	42 μg/l	
PNEC wat	ter (marine water)	4.2 μg/l	
PNEC sed	iment (fresh water)	2.025 mg/kg	
PNEC sed	iment (marine water)	0.2025 mg/kg	
PNEC (so	il)	0.0061 mg/kg	
PNEC (se	wage plant)	4 mg/l	
1334422-0		OPYL BETAINE (1-1 2-18) acyl derivs.)	Propanaminium, 3-amino-N-(carboxymethyl)-N,
PNEC wat	ter (fresh water)	13.5 μg/l	
PNEC wat	ter (marine water)	1.35 μg/l	
PNEC sed	iment (fresh water)	1 mg/kg	
PNEC (so	il)	0.805 mg/kg	
160901-19	9-9 C12-13 PARETH	-7 (Alcohols C12-13 bi	ranched and linear, ethoxylated)
PNEC wat	ter (fresh water)	80 μg/l	
PNEC wat	ter (marine water)	8 μg/l	
PNEC wat	ter (intermittent)	0.28 μg/l	
PNEC sed	iment (fresh water)	63.83 mg/kg	
PNEC sed	iment (marine water)	6.38 mg/kg	
PNEC (so	il)	1 mg/kg	
PNEC (ser	wage plant)	$10,000 \ mg/l$	
5949-29-1	CITRIC ACID (Citr	ic Acid Monohydrate)	
PNEC wai	ter (fresh water)	440 μg/l	
PNEC wat	ter (marine water)	44 μg/l	
PNEC sed	iment (fresh water)	34.6 mg/kg	
	iment (marine water)	0 0	
PNEC sed		0 0	
PNEC sed PNEC (so	il)	33.1 mg/kg	

- · 8.2 Exposure controls
- · Appropriate engineering controls No further relevant information available.

(Contd. on page 5)

Printing date 15.07.2024 Version number 7.0 (replaces version 6.0) Revision: 15.07.2024

Trade name: Bobini Baby Washing liquid for children's and babies' clothes Hypoallergenic

(Contd. of page 4)

- · Individual protection measures, such as personal protective equipment
- · Respiratory protection: Not required.
- · Hand protection

Due to missing tests, it is not possible to give exact information about the glove material for the product. Recommended is therefore:

Only use chemical-protective gloves with CE-labelling of category III.

#### · Material of gloves

Recommended for contact with the product are protective gloves of chemical protection category III made of special nitrile (material thickness > 0.1 mm). Protective gloves should be tested for workplace specific suitability (e.g. mechanical and thermal resistance, antistatic, etc.). For first signs of wear, the protective gloves must be replaced immediately.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Penetration time > 480 minutes recommended. Named penetration times can be significantly shorter in practice.

- · Eye/face protection Goggles recommended during refilling
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

· Environmental exposure controls

Do not allow product to reach ground water, water course or sewage system.

#### SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information

Physical state
Colour:
Odour:
Odour threshold:
Melting point/freezing point:

Fluid
White
Pleasant
Not determined.
Undetermined.

· Boiling point or initial boiling point and boiling

range 100 °C (7732-18-5 water) Flammability Not flammable.

· Lower and upper explosion limit

· Lower: Not determined. · Upper: Not determined.

• Flash point: 198 °C (160901-19-9 C12-13 PARETH-7 (Alcohols

C12-13 branched and linear, ethoxylated))

· Auto-ignition temperature: 250 °C (68891-38-3 SODIUM LAURETH SULFATE

(Alcohols C12-14 ethoxylated, sulfates, sodium salt))

• Decomposition temperature: Not determined.

• pH at  $\frac{1}{20}$  °C 7.5-9.5

· Viscosity:

• Kinematic viscosity
• Dynamic at 20 °C:

Not determined.
500-3,000 mPas

· Solubility

• water: Fully miscible.
• Partition coefficient n-octanol/water (log value) Not determined.

• *Vapour pressure at 20 °C*: ~23 hPa (7732-18-5 water)

· Density and/or relative density

• **Density at 20 °C:** 1.018-1.028 g/cm<sup>3</sup>

(Contd. on page 6)

Version number 7.0 (replaces version 6.0) Printing date 15.07.2024 Revision: 15.07.2024

Trade name: Bobini Baby Washing liquid for children's and babies' clothes Hypoallergenic

	(Contd. of page
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of healt	th and
environment, and on safety.	
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	1
Organic solvents:	0.7 %
Water:	<85.7 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard c	classes
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flamme	able
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

# SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability Product is stable.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid Keep away from frost and heat.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC	50 values re	levant for classification:
ATE (A	cute Toxici	ty Estimates)
Oral	LD50	>30,000-200,000 mg/kg
61789-3	30-8 POTAS	SSIUM COCOATE (Fatty acids, coco, potassium salts)

Oral LD50 >2,000 mg/kg

(Contd. on page 7)

Printing date 15.07.2024 Version number 7.0 (replaces version 6.0) Revision: 15.07.2024

Trade name: Bobini Baby Washing liquid for children's and babies' clothes Hypoallergenic

Dermal   LD50   >2,000 mg/kg			(Contd. of page
Oral         LD50         >5,000 mg/kg (rat) (OECD TG 401)           Dermal         LD50         >2,000 mg/kg (rat) (OECD TG 402)           68439-57-6 SODIUM C14-16 OLEFIN SULFONATE (Sulfonic acids C14-16-alkane hydroxy and C14-16-alkane, sodium salts)           Oral         LD50         2,079 mg/kg (rat)           Dermal         LD50         >6,300 mg/kg (rabbit)           Inhalative         LC50/4 h         >52 mg/l (rat)           1334422-09-1 COCAMIDOPROPYL BETAINE (1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N dimethyl-, N-(C12-18) acyl derivs.)           Oral         LD50         2,335 mg/kg (rat)           Dermal         LD50         >2,000 mg/kg (rat)           160901-19-9 C12-13 PARETH-7 (Alcohols C12-13 branched and linear, ethoxylated)	Dermal	LD50	>2,000 mg/kg
Dermal   LD50   >2,000 mg/kg (rat) (OECD TG 402)	68891-38-	-3 SODIUN	A LAURETH SULFATE (Alcohols C12-14 ethoxylated, sulfates, sodium salt)
68439-57-6 SODIUM C14-16 OLEFIN SULFONATE (Sulfonic acids C14-16-alkane hydroxy and C14 16-alkane, sodium salts)           Oral         LD50         2,079 mg/kg (rat)           Dermal         LD50         >6,300 mg/kg (rabbit)           Inhalative         LC50/4 h         >52 mg/l (rat)           1334422-09-1 COCAMIDOPROPYL BETAINE (1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N dimethyl-, N-(C12-18) acyl derivs.)           Oral         LD50         2,335 mg/kg (rat)           Dermal         LD50         >2,000 mg/kg (rat)           160901-19-9 C12-13 PARETH-7 (Alcohols C12-13 branched and linear, ethoxylated)	Oral	LD50	>5,000 mg/kg (rat) (OECD TG 401)
Oral   LD50   2,079 mg/kg (rat)	Dermal	LD50	>2,000 mg/kg (rat) (OECD TG 402)
Oral         LD50         2,079 mg/kg (rat)           Dermal         LD50         >6,300 mg/kg (rabbit)           Inhalative         LC50/4 h         >52 mg/l (rat)           1334422-09-1 COCAMIDOPROPYL BETAINE (1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N dimethyl-, N-(C12-18) acyl derivs.)           Oral         LD50         2,335 mg/kg (rat)           Dermal         LD50         >2,000 mg/kg (rat)           160901-19-9 C12-13 PARETH-7 (Alcohols C12-13 branched and linear, ethoxylated)	68439-57-	-6 SODIUN	A C14-16 OLEFIN SULFONATE (Sulfonic acids C14-16-alkane hydroxy and C14-
Dermal   LD50   >6,300 mg/kg (rabbit)     Inhalative   LC50/4 h   >52 mg/l (rat)     1334422-09-1 COCAMIDOPROPYL BETAINE (1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N     dimethyl-, N-(C12-18) acyl derivs.)     Oral   LD50   2,335 mg/kg (rat)     Dermal   LD50   >2,000 mg/kg (rat)     160901-19-9 C12-13 PARETH-7 (Alcohols C12-13 branched and linear, ethoxylated)		16-alken	e, sodium salts)
Inhalative         LC50/4 h         >52 mg/l (rat)           1334422-09-1 COCAMIDOPROPYL BETAINE (1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N dimethyl-, N-(C12-18) acyl derivs.)           Oral         LD50         2,335 mg/kg (rat)           Dermal         LD50         >2,000 mg/kg (rat)           160901-19-9 C12-13 PARETH-7 (Alcohols C12-13 branched and linear, ethoxylated)	Oral	LD50	2,079 mg/kg (rat)
1334422-09-1 COCAMIDOPROPYL BETAINE (1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N dimethyl-, N-(C12-18) acyl derivs.)  Oral LD50 2,335 mg/kg (rat)  Dermal LD50 >2,000 mg/kg (rat)  160901-19-9 C12-13 PARETH-7 (Alcohols C12-13 branched and linear, ethoxylated)	Dermal	LD50	>6,300 mg/kg (rabbit)
dimethyl-, N-(C12-18) acyl derivs.)         Oral       LD50       2,335 mg/kg (rat)         Dermal       LD50       >2,000 mg/kg (rat)         160901-19-9 C12-13 PARETH-7 (Alcohols C12-13 branched and linear, ethoxylated)	Inhalative	LC50/4 h	>52 mg/l (rat)
Oral         LD50         2,335 mg/kg (rat)           Dermal         LD50         >2,000 mg/kg (rat)           160901-19-9 C12-13 PARETH-7 (Alcohols C12-13 branched and linear, ethoxylated)	1334422-0		
Dermal LD50 >2,000 mg/kg (rat)  160901-19-9 C12-13 PARETH-7 (Alcohols C12-13 branched and linear, ethoxylated)		dimeth	nyl-, N-(C12-18) acyl derivs.)
160901-19-9 C12-13 PARETH-7 (Alcohols C12-13 branched and linear, ethoxylated)	Oral	LD50	2,335 mg/kg (rat)
,	Dermal	LD50	>2,000 mg/kg (rat)
Oral LD50 >300-2,000 mg/kg (rat)	160901-19	9-9 C12-13	PARETH-7 (Alcohols C12-13 branched and linear, ethoxylated)
	Oral	LD50	>300-2,000 mg/kg (rat)
Dermal $LD50$ >2,000 mg/kg (rabbit)	Dermal	LD50	>2,000 mg/kg (rabbit)
5949-29-1 CITRIC ACID (Citric Acid Monohydrate)	5949-29-1	1 CITRIC A	CID (Citric Acid Monohydrate)
Oral LD50 5,400 mg/kg (mouse) (OECD TG 401)	Oral	LD50	5,400 mg/kg (mouse) (OECD TG 401)
>3,000 mg/kg (rat)			>3,000 mg/kg (rat)
Dermal LD50 >2,000 mg/kg (rat) (OECD TG 402)	Dermal	LD50	>2,000 mg/kg (rat) (OECD TG 402)

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity

Based on available data, the classification criteria are not met.

### 68891-38-3 SODIUM LAURETH SULFATE (Alcohols C12-14 ethoxylated, sulfates, sodium salt)

NOAEL >300 mg/kg bw/d (rat) (OECD TG 416)

- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### 68891-38-3 SODIUM LAURETH SULFATE (Alcohols C12-14 ethoxylated, sulfates, sodium salt)

NOAEL >225 mg/kg/d (rat) (OECD TG 408)

# 68439-57-6 SODIUM C14-16 OLEFIN SULFONATE (Sulfonic acids C14-16-alkane hydroxy and C14-16-alkene, sodium salts)

NOAEL 259 mg/kg/d (rat)

# 1334422-09-1 COCAMIDOPROPYL BETAINE (1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18) acyl derivs.)

NOEL 300 mg/kg (rat)

- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

- FI

Printing date 15.07.2024 Version number 7.0 (replaces version 6.0) Revision: 15.07.2024

Trade name: Bobini Baby Washing liquid for children's and babies' clothes Hypoallergenic

(Contd. of page 7)

# SECTION 12: Ecological information

#### · 12.1 Toxicity

· 12.1 Toxicity	
Aquatic toxicity:	
	TH SULFATE (Alcohols C12-14 ethoxylated, sulfates, sodium salt)
Toxicity (fish): LC50	>10-100 mg/l, 96 h (Leuciscus idus)
Toxicity chronic (fish): NOEC	>1-10 mg/l, 28 d (Leuciscus idus)
Toxicity (Daphnia): EC50	>10-100 mg/l, 48 h (Daphnia magna)
Toxicity (Algea): EC50	>10-100 mg/l, 72 h (Scenedesmus subspicatus)
68439-57-6 SODIUM C14-16	OLEFIN SULFONATE (Sulfonic acids C14-16-alkane hydroxy and C14-
16-alkene, sodium	salts)
Toxicity (fish): LC50	4.2 mg/l, 96 h (Danio rerio) (OECD TG 203)
Toxicity (Daphnia): EC50	4.53 mg/l, 48 h (Ceridophnia sp.) (OECD TG 202)
Toxicity (Algea): EC50	5.2 mg/l, 72 h (Skeletonema costatum) (OECD TG 201)
	OPYL BETAINE (1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N
dimethyl-, N-(Cl	(2-18) acyl derivs.)
Toxicity (fish): LC50	1.1 mg/l, 96 h (Cyprinodon variegatus)
	1.11 mg/l, 96 h (Pimephales promelas)
Toxicity chronic (fish): NOEC	0.135 mg/l, 28 d (Oncorhynchus mykiss)
Toxicity (Daphnia): EC50	1.9 mg/l, 48 h (Daphnia magna)
Toxicity (Algea): EC50	2.4 mg/l, 72 h
Toxicity chronic (Algea): NOEC	C = 0.6  mg/l, 72  h
160901-19-9 C12-13 PARETH	-7 (Alcohols C12-13 branched and linear, ethoxylated)
Toxicity (fish): LC50	>1-10 mg/l, 96 h (Cyprinus carpio) (OECD TG 203)
Toxicity (Daphnia): EC50	>1-10 mg/l, 48 h (Daphnia magna) (OECD TG 202)
Toxicity (Algea): EC50	>1-10 mg/l, 72 h (Desmodesmus subspicatus) (OECD TG 201)
5949-29-1 CITRIC ACID (Citr	ic Acid Monohydrate)
Toxicity (fish): LC50	440-760 mg/l, 96 h (Leuciscus idus)
Toxicity (Algea): EC50	120 mg/l, 72 h (Daphnia carinata)

#### · 12.2 Persistence and degradability

Log Pow 0.3 (Potential: low)

No information for the product available. The contained surfactants are readily biodegradable.
68891-38-3 SODIUM LAURETH SULFATE (Alcohols C12-14 ethoxylated, sulfates, sodium salt)
Readily biodegradable >90 % (28d)
68439-57-6 SODIUM C14-16 OLEFIN SULFONATE (Sulfonic acids C14-16-alkane hydroxy and C14-
16-alkene, sodium salts)
Readily biodegradable >80 % (28d) (OECD TG 301 B)
1334422-09-1 COCAMIDOPROPYL BETAINE (1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-
dimethyl-, N-(C12-18) acyl derivs.)
Readily biodegradable > 75 % (28d) (-)
160901-19-9 C12-13 PARETH-7 (Alcohols C12-13 branched and linear, ethoxylated)
Readily biodegradable >60 % (28d) (OECD TG 301 B)
5949-29-1 CITRIC ACID (Citric Acid Monohydrate)
Readily biodegradable 97 % (28d) (OECD TG 301 B)
· 12.3 Bioaccumulative potential

68891-38-3 SODIUM LAURETH SULFATE (Alcohols C12-14 ethoxylated, sulfates, sodium salt)

(Contd. on page 9)

Printing date 15.07.2024 Version number 7.0 (replaces version 6.0) Revision: 15.07.2024

Trade name: Bobini Baby Washing liquid for children's and babies' clothes Hypoallergenic

(Contd. of page 8)

- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

#### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Smaller quantities can be disposed of with household waste.

Empty the container thoroughly.

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

· Waste disposal key:

15 01 02

20 01 30

- · Uncleaned packaging:
- · Recommendation:

Non contaminated packagings may be recycled.

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk according instruments	<b>g to IMO</b> Not applicable.	
· UN "Model Regulation":	Void	

Printing date 15.07.2024 Version number 7.0 (replaces version 6.0) Revision: 15.07.2024

Trade name: Bobini Baby Washing liquid for children's and babies' clothes Hypoallergenic

(Contd. of page 9)

## **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- Regulations: Regulation (EC) No: 1907/2006, 1272/2008, 648/2004 (all as amended).
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

#### · Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information given in the Material Safety Data Sheet only apply to the describted product in connection with its appropriate utilization. These particulars are based on our present knowledge. In particular, the information derve the purpose of descibing our product under the aspect of hazards caused by such product and pertaining safety actions. The information does not constitute any guarantee of product quality and/or quality features.

This safety data sheet complies with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

#### · Relevant phrases

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

· Training hints

When manufacturing and distributing the product: information and instruction in handling, safety and hygiene.

When transporting the product: information and instruction in ADR.

· Classification according to Regulation (EC) No 1272/2008

The skin and/or eye classification of this product was derived using bridging principles (such as dilution, interpolation within one hazard category or substantially similar mixtures; with or without expert judgement) following Article 9 (3) and Article 9 (4) of Regulation (EC) No 1272/2008.

DetNet/1635

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

#### Department issuing SDS:

Regulatory Affairs

FS

· Contact:

reg@dr-miele.eu

bobini@globalcosmed.eu

· Date of previous version: 02.06.2023

(Contd. on page 11)

Printing date 15.07.2024 Version number 7.0 (replaces version 6.0) Revision: 15.07.2024

Trade name: Bobini Baby Washing liquid for children's and babies' clothes Hypoallergenic

(Contd. of page 10)

· Version number of previous version: 6.0

· Abbreviations and acronyms:

ADN: Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

MARPOL: International Convention for the Prevention of Marine Pollution from Ships (marine pollution)

IBC: Intermediate Bulk Container

IMO: International Maritime Organisation

ECHA: European Chemicals Agency

IVIS: In Vitro Irritancy Score

CLP regulation: "Classification, Labelling and Packaging" regulation, regulation (EC) Nr. 1272/2008

REACH (regulation): "Registration, Evaluation, Authorisation and Restriction of Chemicals" regulation, regulation (EC) Nr. 1007/2006

CE: Conformité Européenne (European Conformity)

Reg. no.: Registration number

log Kow / log Pow: decadic logarithm of the octanol/water partition coefficient

bw/d: body weight per day

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

EC50: Effective concentration, 50 percent

WEL: Workplace Exposure Limits

NOAEL (NOAEC): No observed adverse effect level (concentration)

NOEL (NOEC): No observed effect level (concentration)

NLP: No-Longer-Polymer

OECD: Organisation for Economic Co-operation and Development

TG: Test Guideline

BCOP: Bovine Corneal Opacity and Permeability

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

\* \* Data compared to the previous version altered.

EU